

FEDRIGONI

PAPER


SYMBOL PACK PREMIUM WHITE

Environmental-friendly E.C.F. boards (SBS), FSC® certified. Double blade coated on one side with Satin finishing. Available in Premium White shade.

DESCRIPTION

SIZE	GRAIN	SUBSTANCE
72X102	LG	230 250 280 310 330 360 400

RANGE



SUBSTANCE	THICKNESS	ROUGHNESS*	TABER STIFFNESS 15°			
			ISO 2493		ISO 2493	
			long ± 15%		cross ± 15%	
g/m²	µm	ml/min	mN	mNm	mN	mNm
ISO 536	ISO 534	ISO 8791-2				
230 ± 4%	255 ± 10	300 ± 50	110	5,3	55	2,6
250 ± 4%	280 ± 10	300 ± 50	140	6,8	70	3,3
280 ± 5%	315 ± 10	300 ± 50	200	9,7	100	5,1
310 ± 5%	345 ± 10	300 ± 50	280	13,5	140	6,8
330 ± 5%	380 ± 10	300 ± 50	345	16	175	8,1
360 ± 5%	420 ± 10	300 ± 50	415	19	205	9,5
400 ± 5%	450 ± 15	300 ± 50	480	23,5	240	11,8

TECHNICAL FEATURES

ref. standard/instrument
unit of measure

Brightness - ISO 2470 (R457) -
104% ± 2 (Coated side).
CIE Whiteness - 139,5 ± 4
(Coated side).
Nuance L* 94,5% ± 1,0
a* 2,8% ± 0,8
b* -11,5% ± 0,8

Brightness - ISO 2470 (R457) -
104% ± 2 (Uncoated side).
CIE Whiteness- 141 ± 4
(Uncoated side).

Relative Humidity 55% ± 5 ref.
TAPPI 502-98

* Uncoated side



ECOLOGICAL

The product is completely bio-degradable and recyclable.
Special runs available upon request.

NOTES

UNI EN ISO 9001:2015 - CQ 539
UNI EN ISO 14001:2015 - CQ 7847
UNI EN ISO 45001:2018 - CQ 26471

PRODUCT DATA SHEET
SYMBOL PACK/4B6
Update 02/2023
Rev. n° 03

SYMBOL PACK PREMIUM WHITE

Symbol Pack Premium White is excellent for packaging, folding boxes, sleeves, brochures, promotional material, greeting cards and similar applications.

APPLICATIONS

Can be used without problems with the main printing systems: letterpress, offset, blind embossing, hot foil stamping, thermography and screen-printing. For offset printing, the features of the coated side are comparable to Satin finishing and the uncoated side is designed to provide good printability also with solid colours.

PRINTING SUGGESTIONS

Good results can be expected with all the main converting process: cutting, die-cutting, scoring, glueing, varnishing and plastic lamination.

CONVERTING SUGGESTIONS



FEDRIGONI

PAPER


SYMBOL PACK WHITE

Environmental-friendly E.C.F. boards (SBS), FSC® certified. Double blade coated on one side with Satin finishing. Available in White shade.

DESCRIPTION

SIZE	GRAIN	SUBSTANCE
72X102	LG	230 250 280 310 330 360 400

RANGE



SUBSTANCE	THICKNESS	ROUGHNESS*	TABER STIFFNESS 15°			
			ISO 2493		ISO 2493	
			long ± 15%	cross ± 15%		
g/m ²	µm	ml/min	mN	mNm	mN	mNm
230 ± 4%	255 ± 10	300 ± 50	110	5,3	55	2,6
250 ± 4%	280 ± 10	300 ± 50	140	6,8	70	3,3
280 ± 5%	315 ± 10	300 ± 50	200	9,7	100	5,1
310 ± 5%	345 ± 10	300 ± 50	280	13,5	140	6,8
330 ± 5%	380 ± 10	300 ± 50	345	16	175	8,1
360 ± 5%	420 ± 10	300 ± 50	415	19	205	9,5
400 ± 5%	450 ± 15	300 ± 50	480	23,5	240	11,8

TECHNICAL FEATURES

ref. standard/instrument
unit of measure

Brightness - ISO 2470 (R457) -
98% ± 2 (Coated side).
CIE Whiteness - 118 ± 4 (Coated side).
Nuance L* 95% ± 1,0
a* 2,0% ± 0,8
b* - 6,5% ± 0,8

Brightness - ISO 2470 (R457) -
98% ± 2 (Uncoated side).
CIE Whiteness- 118 ± 5 (Uncoated side).

Relative Humidity 55% ± 5 ref.
TAPPI 502-98

* Uncoated side

Relative Humidity 55% ± 5 ref.



The product is completely bio-degradable and recyclable.
Special runs available upon request.

ECOLOGICAL

NOTES

UNI EN ISO 9001:2015 - CQ 539
UNI EN ISO 14001:2015 - CQ 7847
UNI EN ISO 45001:2018 - CQ 26471

PRODUCT DATA SHEET
SYMBOL PACK/4B6
Update 02/2023
Rev. n° 02

SYMBOL PACK WHITE

Symbol Pack White is excellent for packaging, folding boxes, sleeves, brochures, promotional material, greeting cards and similar applications.

APPLICATIONS

Can be used without problems with the main printing systems: letterpress, offset, blind embossing, hot foil stamping, thermography and screen-printing. For offset printing, the features of the coated side are comparable to Satin finishing and the uncoated side is designed to provide good printability also with solid colours.

PRINTING SUGGESTIONS

Good results can be expected with all the main converting process: cutting, die-cutting, scoring, glueing, varnishing and plastic lamination.

CONVERTING SUGGESTIONS

